




CONCRETE PAD REQUIREMENTS & OFFSET BLOCK SLAT INSTALL
SCALE = 1:24




DC ENCLOSURE 10X10 w/ STANDARD GATE CLOSED
SCALE = 1:24




DC ENCLOSURE 10X10 w/ STANDARD GATE CLOSED
SCALE = 1:24




DC ENCLOSURE 10X10 BASE PLATE POSITION PLAN
SCALE = 1:24




STANDARD OFFSET BLOCK SLAT (TONGUE & GROOVE ASSEMBLY)
SCALE = 1:16



END VIEW
SCALE = 1:4




4 SECTION
DC01 SCALE = 1:16



1 DETAIL
DC01 SCALE = 1:8

2 DETAIL
DC01 SCALE = 1:8



3 SECTION
DC01 SCALE = 1:8

MINIMUM FOUNDATION SPECS AS FOLLOWED:

18\"/>

SOIL CONDITIONS ALLOWABLE AVERAGE SOIL STRESS FOR LATERAL DESIGNS, S1 = 1000PSI MIN.

STANDARD WIND EXPOSURE CATEGORY B = 95MPH EXPOSURE CATEGORY C (115 mph) WIND LOAD INCREASE REQUIRE 8\"/>

GEO-TECHNICAL EVALUATION MAY BE REQUIRED PER YOUR CITY'S GUIDELINES.

GOVERNING BUILDING CODES:

MICHIGAN BUILDING CODE BASED ON IBC, LATEST EDITION - OCCUPANCY CATEGORY II

OTHER APPLICABLE CODES:

**ASCE / SE7-05
ACI 318-19
ANSI / AISC 360-10
IN ACCORDANCE TO MBC 2021**

ENCLOSURE OFFSET BLOCK WALL CONCRETE PAD SPECIFICATION REQUIREMENTS:

ENCLOSURE PAD GRADE ALLOWANCE = 1\"/>

DC ENCLOSURE 10X10

- (1) BASE PLATE TEMPLATE GA. MATERIAL/SIM
- (4) CORNER WALL POSTS
- (27) 115\"/>
- (2) GATE PANELS FURNISHED w/ STEEL METAL FABRIC SHOW
- (1) DROP ROD ATTACHED TO GATE LEAF WEDGE ANCHORS (HDG) ARE PROVIDED
- FASTENERS FOR GATE LEAF HINGES PROVIDED

S-SERIES OFFSET BLOCK WALL SPECIFICATIONS

- CORNER POST - CP1 = 113lbs
- (4) CP1'S REQ'D = 453lbs
- 115\"/>
- QTY OF DURA-CRETE SLATS REQ'D = 9 PER WALL 27 TOTAL
- WEIGHT = 1440 POUNDS PER WALL 4320 POUNDS TOTAL

CONCRETE PAD AND PAD REQUIREMENTS SHOWN ARE INSTALLED w/ VERIFICATION BY OTHERS

ALL EXPOSED STEEL FRAMING IS GALVANIZED. ALL HARDWARE TO HAVE RESISTANCE TO OUTDOOR ELEMENTS

REV	DATE	DESCRIPTION	BY
-----	------	-------------	----

DURA-CRETE WALLS



**23450 REGENCY PARK DR.
WARREN, MI 48089**
P: 586.759.4286
www.duracretewalls.com


CLIENT:
ORDER NUMBER:
PROJECT NAME: DC ENCLOSURE 10X10
PROJECT LOCATION:
STREET:
CITY:
STATE:
PROJECT DESCRIPTION: DC ENCLOSURE 10X10

PLEASE NOTE: THESE DRAWINGS REPRESENT DURA-CRETE WALLS INTERPRETATION OF THE INTENT OF THE CONTRACT DOCUMENTS. EVERY EFFORT HAS BEEN MADE TO ENSURE THAT THEY ARE ACCURATE AND COMPLETE. APPROVAL BY THE AUTHORIZED PARTIES SHALL CONSTITUTE ACCEPTANCE, AND ANY POST-APPROVAL CHANGES WILL BE CONSIDERED TO BE CHANGES TO DURA-CRETE WALLS CONTRACT.


copyright Dura-Crete Products 2023. patent pending




SHEET NUMBER:
DC01




DC ENCLOSURE 10X10 BASE PLATE POSITION PLAN
SCALE = 1:12



1 DETAIL
DC02 SCALE = 1:8



2 DETAIL
DC02 SCALE = 1:8



3 SECTION
DC02 SCALE = 1:8

SHEET FOR INSTALLATION ONLY

REV	DATE	DESCRIPTION	BY
DURA-CRETE WALLS			
23450 REGENCY PARK DR. WARREN, MI 48089 P: 586.759.4286 www.duracretewalls.com		CLIENT:	
PLEASE NOTE: THESE DRAWINGS REPRESENT DURA-CRETE WALLS INTERPRETATION OF THE INTENT OF THE CONTRACT DOCUMENTS. EVERY EFFORT HAS BEEN MADE TO ENSURE THAT THEY ARE ACCURATE AND COMPLETE. APPROVAL BY THE AUTHORIZED PARTIES SHALL CONSTITUTE ACCEPTANCE, AND ANY POST-APPROVAL CHANGES WILL BE CONSIDERED TO BE CHANGES TO DURA-CRETE WALLS CONTRACT.		ORDER NUMBER: DC ENCLOSURE 10X10 PROJECT LOCATION: STREET: CITY: STATE: PROJECT DESCRIPTION: DC ENCLOSURE 10X10	
copyright Dura-Crete Products 2023. patent pending		DRAWN BY: C2M DA CHECKED BY: DA ORDER DONE BY: DA SHEET NUMBER: DC02	